## **MADEIRA Technical Datasheet**

09.09.2019

**FS No.50** 

Article Description Metallised Embroidery Thread

Composition 55% metallised polyester; 45% polyamid

Count dtex 150 / den 135

Make Up Available 1000m spool / 5000m cone

Recommended needle size 65/9 - 75/11

Fastness Rating - Scale 1 (worst) - 5 (best)

Fastness to washing at 60°C DIN EN ISO 105-C03/M & S C4A 4-5

Fastness to water (damp for 4hrs at 37°C) DIN EN ISO 105-E01/M & S C6 4-5

Fastness to rubbing dry (10 rubs on dry white Fabric) DIN EN ISO 105-X12/M & S C8 colour 3

gold and silver 4

Fastness to rubbing wet (10 rubs on wet white Fabric) DIN EN ISO 105-X12/M & S C8 colour 3

gold and silver 4

Fastness to dry cleaning DIN EN ISO 105-D01 4-5

Fastness Rating - Scale 1 (worst) - 8 (best)

Fastness to light (100hrs xenon light) DIN EN ISO 105-B02 5

Due to different dye stuffs not applicable to all colors.

Mechanical - Technological Values

Tensile Strength cN (force until thread breaks, in Centinewton) DIN EN ISO 2062 ca.490cN

Elongation (% of stretch extension with weight tension until breaks)

ca.40%

Special note:

Please note that colors 5010, 5002, 5005, 5006, 5003, 5007 might oxidize.

All other colors of the FS 50 range are resistant to oxidation.

## **Recommendations for care**









Color Card No. 63

Oeko-Tex



To improve this product Madeira reserves the right to alter the specifications or modify the appearance of products without notice. Information and technical data in this document are guidelines and no warranted characteristics. Small variations due to production process are possible.

MADEIRA Garnfabrik Rudolf Schmidt KG Zinkmattenstraße 38 D-79108 Freiburg

Tel.: +49 (0) 761 – 51 04 00 E-Mail: service@madeira.de



## MADEIRA Technical Datasheet

To improve this product Madeira reserves the right to alter the specifications or modify the appearance of products without notice. Information and technical data in this document are guidelines and no warranted characteristics. Small variations due to production process are possible.

Tel.: +49 (0) 761 - 51 04 00

E-Mail: service@madeira.de